

SCAL-400

CALIBRATION AND CHARGING STATION



Automatically charge, bump test and calibrate up to five **SENSIT® P400** Monitors simultaneously

For use with **SENSIT® P400** Models Only.

MADE IN USA

SENSIT
Technologies

Innovative Detection Solutions

www.gasleaksensors.com

SCAL-400

Automatically charges, bump tests and calibrates up to five SENSIT® P400 Gas Monitors simultaneously.

SCAL-400 Calibration and Charging Station features a touch screen display. Use your finger or the included stylus, to access instrument and station information.

Simply place an instrument onto any of the five slots. Each slot contains charger and communication connections. Testing functions require no user interaction.

During connection, the station automatically detects when an instrument requires a bump or calibration, and then performs the required test.



SCAL-400 Calibration and Charging Stations come with **SCAL-D** Data Management Software. **SCAL-N** is the Network version of the software. **SCAL-N** is sold separately with a multi-year license. Use **SCAL-N** to download data from remotely located Calibration Station(s). Data is stored in SQL Server.

SCAL-400 Calibration and Charging Station is

- Easy to Use
- Easy to Maintain
- Made in USA

For use with SENSIT® P400 Gas Monitors

- CH4
- CO
- O2
- H2S
- HCN
- NO2
- SO2



Standard Features:

- Touch screen operation
- Test up to 5 instruments simultaneously
- Auto operation when instrument is installed
- Indication of pass or fail
- RJ45 intranet connection
- Compatible with Windows 7 and Windows XP Network

SCAL-400

Reporting Features:

- Instrument Test Past Due
- Instrument Failure Alerts
- Monthly Compliance Report
- Sensor Performance Data
- Optional Networking System
- Compatible with:
 - SCaL-D™ (Desktop)
 - SCaL-N™ (Network)
 - Data Management Software



TOUCH SCREEN

STATUS INDICATORS

CHARGING PINS

COMMUNICATION PIN

GAS OUTLET



GAS CONNECTIONS



POWER CONNECTION

USB RJ45 SERIAL



PRODUCT SPECIFICATIONS

Size: 24" x 7" x 3" (61cm x 17.8cm x 7.6cm)
 Weight: 5.75 lb. (2.6 kg)
 Operational Temp: 40 – 122 F (5 to 50° C)
 Max. Inlet Pressure: 20 PSI
 Power: 100-240 VAC

SOFTWARE REQUIREMENTS

30MB Hard Drive Space
 Windows® XP, Vista, 7 Operating System
 Microsoft® Outlook (Preferred. Not Required)
 Microsoft® Excel (Preferred. Not Required)
 Microsoft® SQL Server (SQL Server Express Included)



DATA MANAGEMENT SOFTWARE

SCAL-D is the Desktop version of the software. This single-user software application comes standard with Calibration Stations.

Various reports and alerts can be viewed, printed, emailed or stored as an Excel spreadsheet. When configured, it will automatically alert operators and supervisors of important data depending on their preference.

SCAL-N is the Network version of the software. SCAL-N is sold separately with a multi-year license. Use **SCAL-N** to download data from remotely located Calibration Station(s). Data is stored in SQL Server.

SCAL-400 Calibration Station

SCAL-400 Calibration Station
Part # 927-00000-01

Includes: SCAL-400 Calibration Station, SCAL-D Data Management
Software Disc for Windows XP & Win 7, Installation Guide,
Communication Cable, Power Cord (120 VAC) 2 Year Technical Support

Gas Cylinders

34 liter 2.5% CH₄, 18.2% O₂, 100ppm CO, bal N₂
Part # 315-100013

34 liter quad mix 12.5% CH₄, 18.2% O₂, 100ppm CO, 25ppm H₂S, bal N₂
Part # 315-100011

34 liter 10ppm HCN/bal N₂
Part # 315-100006

Contact SENSIT Technologies for other gases.



851 Transport Drive
Valparaiso, IN 46383-8432

Phone: 888 4SENSIT
888 473 6748
219 465 2700

Fax: 219 465 2701
www.gasleaksensors.com

MADE IN USA

SENSIT Technologies
is in compliance with ISO 9001:2008



Distributed by:

